



MAMMALIAN TOXICOLOGY OF SODIUM LAURYL SULFOACETATE

Applicable to these current Stepan products:

LATHANOL® LAL Powder	LATHANOL® LAL Flake	LATHANOL® LAL Coarse
----------------------	---------------------	----------------------

Toxicological Information:

<u>Test/Conditions</u>	<u>Results/Classification</u>	<u>References</u>
Mammalian Toxicology:		
Acute Oral Toxicity (rat) (14 day) (gavage) n = 5/dose/sex	LD50 (lethal dose) > 2 to < 5 mg/kg (slightly toxic orally as a 33% suspension)	Stepan Study No. 97-005A, 97-005E
Acute Dermal Toxicity (rabbit) (14 day) n = 5/dose/sex	LD50 > 2 mg/kg (slightly toxic dermally as a 33% suspension)	Stepan Study No. 97-005D
Primary Eye Irritation (rabbit) (21 day observation) n=6	MMS ¹ = 37/110 (moderately irritating to eyes as a powder at 24 hr observation)	Stepan Study No. 97-005C
Primary Dermal Irritation/Corrosivity Study (rabbit) (4 hr exposure) n=6	PII ² = 2.09/8 (mildly irritating to skin as a powder)	Stepan Study No. 97-005B
Mucous Membrane Irritation (rabbit) (7 day observation n=3/sex)	Not irritating as a 1% aqueous solution	JACT*
Skin Sensitization Magnusson & Kligmann Maximisation test (guinea pig) (topical) (3 wks.)	Not a skin sensitizer as a 2% solution	Stepan Study No. 12-012A
Skin Sensitization Buehler method (guinea pig) (topical) (3 wks.)	Not a skin sensitizer as a 2.1% cream	JACT

<u>Test/Conditions</u>	<u>Results/Classification</u>	<u>References</u>
Phototoxicity Study (guinea pigs) n=3	Not phototoxic at 3%	JACT
28-Day Oral Toxicity Study (rats) (gavage) n=5/sex/dose	No treatment- related effects observed at 50 mg/kg/day	JACT
Subchronic Oral Toxicity (90 days)(rat)(gavage)	No treatment- related effects observed at 75 mg/kg/day	JACT
Mutagenicity Study (Ames) (OECD method 471)	Not mutagenic	Stepan Study No. 12-011E & JACT
Mutagenicity Study (Chromosome aberration) (OECD method 475)	Not clastogenic	Stepan Study No. 03-006C
Mutagenicity Study (Mouse lymphoma assay) (OECD method 476)	Not mutagenic	Stepan Study No. 13-004E
Reproduction/Development Toxicity (rats) (gavage) (39 days for males, 42-46 for females) n=10/sex/dose (OECD method 422)	NOAEL ³ = 1000 mg/kg body weight/day	Stepan Study No. 04-015A
Developmental Toxicity (rats)(gavage)(15-day exposure) n=77 dams, 1146 fetuses (OECD method 414)	NOAEL (developmental) = 1000 mg/kg body weight/day	Stepan Study No. 18-002H
Clinical Studies:		
Skin Irritation (single insult patch test) (human) n=100	Not a skin irritant as a 3% solution	JACT
Repeated Insult Patch Test (RIPT) (human) (3 weeks) n=152	Irritation observed in 79 subjects, reaction considered nonallegenic	JACT
In-Use Test (human) (4 weeks) (n=47)	Irritating but not sensitizing to human skin at 1-2%	JACT
21-Day cumulative irritation study (RIPT) (human) (3 weeks) (n=25)	Mild material - no experimental irritation	Stepan Study No. 03-002A

1. MMS=Maximum Group Mean Draize Score
2. PII=Primary Skin Irritation Index
3. NOAEL = No observed adverse Effect Level

Conclusion:

The Cosmetic Ingredient Review (CIR) Expert Panel has concluded that Sodium Lauryl Sulfoacetate is safe as presently used in cosmetic products.

References:

*Journal of the American College of Toxicology (JACT), vol. 6(3), 1987, pp. 261-277.

LATHANOL® is a registered trademark of Stepan Company.

Last Update: [August 5, 2021](#)

Revision Reference: [TX013.03](#)

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.